

सेंसेक्स	73,677.13	▲ -195.16
डॉलर	82.914	▼ -0.000
तापमान	(डिग्री सेल्सियस)	
	आज का अनुमान	
अधिकतम	न्मूलता	(न्मूलता)
रांची	27.0	14.0
धनबाद	29.0	14.0
जमशेदपुर	34.0	15.0
पलामू	29.0	13.0
		24.0

ईश्वर में हमारा विश्वास



राष्ट्रीय नवीन मेल

सत्यनेत जयते



डालटनगंज (मेदिनीनगर), फालुन कृष्ण पक्ष 11, विक्रम संवत 2080

डालटनगंज (मेदिनीनगर), बुधवार, 06 मार्च 2024, वर्ष-30, अंक- 139, पृष्ठ-12, मूल्य ₹3.00, रजिस्ट्रेशन नं: आएनआई 61316/94

www.rastrriyanaveenmail.com

संपादकीय

हरित भविष्य की निरंतरता व भावी पीढ़ी ... 6

डालटनगंज (मेदिनीनगर) एवं रांची से एक साथ प्रकाशित

लोस चुनाव की निगरानी में शामिल होंगी केंद्रीय ... 10

देश/विदेश



सर्वजन पेंथन योजना

के लाभुकों को प्रथम किस्त का भुगतान
एवं आंगनबाड़ी कार्यकर्ताओं

अब तक
कुल स्वीकृत
लाभुक

1,58,600

का सम्मान समारोह

मुख्य अतिथि

श्री चम्पाई सोरेन

माननीय मुख्यमंत्री, झारखण्ड

श्री आलमगीर आलम

माननीय मंत्री,
ग्रामीण विकास विभाग, ग्रामीण कार्य
विभाग, पंचायती राज विभाग

विशिष्ट अतिथि

श्री सत्यानंद भोका

माननीय मंत्री,
श्रम नियोजन प्रशिक्षण एवं कौशल
विकास विभाग एवं उद्योग विभाग

श्रीमती बेबी देवी

माननीय मंत्री,
महिला बाल विकास एवं
सामाजिक सुरक्षा विभाग


दिनांक: 6 मार्च 2024 (बुधवार)

समय- मध्याह्न 12:00 से

स्थान : हाइकंश टानाभगत इंडोर स्टेडियम, राँची

► न्यूनतम उम्र सीमा 60 वर्ष से घटाकर 50 वर्ष

► राज्य की महिलाओं तथा अनुसूचित जनजाति (ST)
एवं अनुसूचित जाति (SC) वर्ग के लिए



श्री चम्पाई सोरेन

माननीय मुख्यमंत्री, झारखण्ड

राष्ट्रीय नियोन गेल

कार्यालय नगर परिषद, लोहरदगा
Email id: nagarparishadlohdarga@gmail.com

आम सूचना

एतद द्वारा सूचित किया जाता है कि इस कार्यालय का पत्रांक- 288, दिनांक- 21.02.2024 {PR 319869 Lohardaga(2023-24) #D} में क्रम संख्या- 01 बस स्टैण्ड (बस, टेम्पू एवं अन्य) अपरिहार्य कारणवश अगले आदेश तक स्थगित किया जाता है। शेष यथावत रहेगा।

प्रशासक
PR 321584 Lohardaga(23-24).D नगर परिषद, लोहरदगा

व्यापार

कार्यपालक अभियंता का कार्यालय पेयजल एवं स्वच्छता प्रमंडल, मेदिनीनगर

शुद्धि-पत्र

पेयजल एवं स्वच्छता प्रमंडल, मेदिनीनगर अन्तर्गत ई-प्रोक्योरमेंट अति-अल्पकालीन निविदा आमंत्रण सूचना संख्या- DWSD/DR/DT/Med-13/2023-24 (1st Call) (Relocation of drilled tube well) जो (PR No. 320849)*23-24 द्वारा विभिन्न समाचार पत्रों से प्रकाशित है, के तिथि अपरिहार्य कारणों से निम्न प्रकार संशोधित किया जाता है:-

विवरण	पृष्ठ प्रकाशित तिथि/ समय	संशोधित तिथि/ एवं समय
वेबसाइट पर निविदा प्रकाशन की तिथि एवं समय	01.03.2024 / 02.30 P.M.	06.03.2024 / 02.30 P.M.
बीड प्राप्ति की अंतिम तिथि एवं समय	08.03.2024 / 5.00 P.M.	13.03.2024 / 5.00 P.M.
सरकार के संचित, सूचना प्रैदीपिकों एवं ई-गवर्नर्स, आरखण्ड मंत्रालय, के ज्ञापांक 120 दिनांक 03.10.2023 के आलों में वित्र का मूल एवं अंग्रेजी की राशि Online जमा करने की अनिवार्यता एवं समय	08.03.2024 / 5.00 P.M.	13.03.2024 / 5.00 P.M.
निविदा खोलने की तिथि एवं समय	09.03.2024 / 05.00 P.M.	14.03.2024 / 05.00 P.M.

यह शुद्धि-पत्र परिमाण विपत्र का भाग होगा एवं शेष पूर्ववत रहेगे।

PR 321593 (Drinking Water and Sanitation) 23-24 (D) पेयजल एवं स्वच्छता प्रमंडल, मेदिनीनगर।

GOVT.OF.JHARKHAND
OFFICE OF THE EXECUTIVE ENGINEER
Drinking Water & Sanitation Mechanical Division, Medininagar

Very Short e-Quotation No. 12/2023-24

Rates through e-quotations are invited for "Material" category annexed as S/R Estimate for Repairing of 50 H.P. VT P/Set, 20 H.P. C/F Pump Set, 25 H.P. C/F Pump Set, 40 H.P. C/F Pump Set, Supplying & Fitting 200 Amp main switch etc work of Lesliganj add joining village Rural Water Supply Scheme for the year of 2023-24, from reputed Manufacturers / Authorized Dealers having valid G.S.T.I.N for respective items conforming to the specifications in the Estimates under D.W.& S. Mech. Div. Medininagar, Government of Jharkhand, to be used in different Pumping Plants replacement operation maintenance works shall be submitted online in the website <http://jharkhandtenders.gov.in>.

Details and list of materials are available on the above e-tender Portal. The Quotationer may download the documents from the website and quote their firm item rate excluding taxes for the Materials online from 09.03.2024 at 3.50 hrs. to 16.03.2024 at 2.30 hrs. The quotation will be opened on 18.03.2024 at 3.40 Hours

The quotation is invited to ascertain and assess the Rate of Materials at par with lowest market rate for framing of Estimates under D. W. & S. Mech. Division, Medininagar.

Executive Engineer,
D.W. & S. Mechanical Division,
Medininagar (Palamau)

PR 321514 Drinking Water and Sanitation(23-24)D

GOVT.OF. JHARKHAND OFFICE OF THE EXECUTIVE ENGINEER

Drinking Water & Sanitation Mechanical
Division, Medininagar

Very Short e-Quotation No. 11/2023-24

Rates through e-quotations are invited for "Material" category annexed as S/R Estimate for Repairing of 7.5 H.P. VT P/Set, 12.5 H.P. C/F Pump Set, Supplying & Fitting 63 Amp main switch etc work of Untari Road Add joining Village Rural Water Supply Scheme for the year of 2023-24, from reputed Manufacturers / Authorized Dealers having valid G.S.T.I.N for respective items conforming to the specifications in the Estimates under D.W. & S. Mech. Div. Medininagar, Government of Jharkhand, to be used in different Pumping Plants replacement operation maintenance works shall be submitted online in the website <http://jharkhandtenders.gov.in>. Details and list of materials are available on the above e-tender Portal. The Quotationer may download the documents from the website and quote their firm item rate excluding taxes for the Materials online from 09.03.2024 at 3.30 hrs. to 16.03.2024 at 2.20 hrs. The quotation will be opened on 18.03.2024 at 3.30 Hours

The quotation is invited to ascertain and assess the Rate of Materials at par with lowest market rate for framing of Estimates under D. W. & S. Mech. Division, Medininagar.

Executive Engineer,
PR 321512 Drinking Water D.W. & S. Mechanical Division,
and Sanitation (23-24)_D Medininagar (Palamau)

OFFICE OF THE DEPUTY COMMISSIONER, LATEHAR

District Planning Office, Latehar

Website: www.latehar.nic.in

CORRIGENDUM

Office of the District Planning Office, Latehar, decided to make following amendments/addendum in the PR No. 320627 & NIB Ref No. 75, dated 28.02.2024.

Bids are invited for the work of Supply, Installation, Testing & Commissioning of 20W/30W White LED based Solar Street Lighting Systems (SELSS) with Lithium Ferro Phosphate Battery on Turnkey basis at different places of Latehar. The details are as follows:

SR.NO	DESCRIPTION	CORRIENDUM (Correction)
4(b)	PAN card/AN Card, UCAN, pollution Certificate and Factory License	PAN card/AN Card, UCAN, For Manufacturer Factory License need to Submit.
4(d)	Audited Balance sheet of last three year along with ITR with positive net worth 1 cr at least & for com bined For the following FY of 2020-21/2021-22/2022/23	Audited Balance Sheet of Last three year or from date of incorporation or 01cr. Positive Net worth certificate.
6	Work Experience of Govt. agency for minimum quantity 2000 nos solar street light or 500 Kw solar roof top in last 3 years Preference will be given if vendor has work experience with JREDA	Work Experience of Govt. agency for minimum quantity 2000 nos solar street light or 500 Kw solar roof top in last 3 years Preference will be given if Vendor has work experience with JREDA

Technical Specification :

Module	Only indigenous modules shall be used in the project.	100 Watt Poly panel for 20 Watt Light and 150 Watt poly panel for 30 Watt light under STC
Battery	Minimum 12.8 V, 30 AH capacity Lithium Ferro Phosphate battery.	Minimum 12.8 V, 40 AH (FOR 20 Watt Street Light) and 60 H (For 30 Watt Street Light) capacity Lithium Ferro Phosphate Battery
	JREDA discovered L1 Price Annexure-I Price Bid	will be applicable as per JREDA letter no. 145/2023 dated 27/01/2023

Rest all others conditions specified in the EOI will remains unchanged.

District Planning Officer,
Latehar

PR 321499 (District) 23-24 (D)

मेदिनीनगर (डालटनगंज) बुधवार, 06 मार्च 2024

झारखण्ड सरकार

प्रम, नियोजन प्रशिक्षण एवं कौशल विकास विभाग,
जिला नियोजनालय-सह-मॉडल कैरियर सेन्टर गुमला

राज्यीकृत क्षेत्र-2024

रिवित सूचना

राज्य के बेरोजगार युवक/ युवियों को निजी क्षेत्र में नियोजन का अवसर उपलब्ध कराने के उद्देश्य से जिला नियोजनालय-सह-मॉडल कैरियर सेन्टर गुमला के त्वायादा में दिनांक-07.03.2024 दिन (वृहत्संताव) के पूर्वाहन 10:30 बजे से 4:00 बजे तक एक दिवसीय भर्ती क्षेत्र का आयोजन किया जा रहा है। भर्ती क्षेत्र में नियोजित प्रमुख नियोजन के उपस्थित रहने की सहायता प्रदान की जाती है।

स्थान :- जिला नियोजनालय, गुमला कार्यालय परिसर में।

S.I.NO	Name of the Employer & Address	Name of the post	No. of Vacancy	Qualification Required	Experience / Height	Age (Min. / Max)	(Pay/ Scale)	Job Location
1	2	3	4	5	6	7	8	9
1	ARYAN STEELS	HELPER	03	Non Matric, 10 th Pass (Male/ Female)	Fresher	18-45 Years	15,000/- Per Month (For 12 hours)	Nagpur.
		Machine Operator	03	12 th , ITI, Pass (Male/ Female)	Fresher	18-45 Years	16,000/- Per Month (For 12 hours)	Nagpur.

नोट :- योग्य एवं इच्छुक उपर्युक्त उपर्युक्त नियोजन का अवसर उपलब्ध कराने के उद्देश्य से जिला नियोजनालय-सह-मॉडल कैरियर सेन्टर गुमला के त्वायादा में दिनांक-07.03.2024 दिन (वृहत्संताव) के पूर्वाहन 10:30 बजे से 4:00 बजे तक एक दिवसीय भर्ती क्षेत्र का आयोजन किया जा रहा है। भर्ती क्षेत्र में नियोजित प्रमुख नियोजन के उपस्थित रहने की सहायता प्रदान की जाती है।

♦ किसी भी प्रकार का आत्म भत्ता देय नहीं है।

जिला नियोजन पदाधिकारी,
जिला नियोजनालय, गुमला।

PR.NO.321498 Labour Employment and Traning(23-24):D

आशिषित अधिकारी -सह- अपर मुख्य विक्रित्सा पदाधिकारी का कार्यालय, गुमला (आवाद सुरक्षा शास्त्र)

पत्रांक.....

दिनांक.....

आम सूचना

सभी खाद्य कारोबारकर्ता यथा होटल, रेस्टोरेंट, रिटेलर, हॉलसेलर अपने प्रतिष्ठान FSS Act 2006 के तहत बनाए गए नियमों के अनुसार संचालन करना सुनिश्चित करेंगे:-

- अपने प्रतिष्ठान में साफ-सफाई का विशेष ध्यान रखेंगे एवं प्रतिष्ठान पर ढक्कन युक्त कुड़ेदान का प्रयोग करेंगे।
- सभी खाद्य कारोबारकर्ता यथा होटल, रेस्टोरेंट, रिटेलर, हॉलसेलर शीतल पेय, खाद्य व अन्य पैकड़ खाद्य पदार्थ पर ऐविंग करेंगे।
- खाद्य परामर्शदाता की वैधता तिथि का भी ध्यान रखेंगे। अवधि समाप्त सामग्रियों का विक्रय नहीं करेंगे।
- स्टीटर वेंटों पर बिंबों के साथ साधारणता व्यापार क

